


Alumina

Process Chemicals



SNF FLOERGER

Flograde RH™

Grindings Aids for Alumina Processing

FLOGRADE RH™ is a formulation designed to increase the loading capacity of mills and improve the grinding of bauxite in alumina extraction refineries using the Bayer process.

Ball/Rod Mill



“

FLOGRADE™ RH is a unique formulation which has been specifically designed to increase the loading capacity of the mills and improve the grinding of bauxite in the Bayer Process.


”

Advantages of using FLOGRADE RH™:

- Increased bauxite flow rate at the mill of up to 50%
- Increased solids content
- No change in the particle size/granulometry of the milled product
- No changes in the TAA (total aluminium available) of the slurries after etching
- Deposit removal in pre-desilicators
- Deposit removal in transfer pipes, flake filters and pumps
- Reduction of mill electrical consumption



FLOGRADE RH Performance



“

Increase in the grinding capacity of mills of up to 50% **with no significant variation in the particle size.**

”



FLOMIN Flocculants for Settlers

2 main families have been especially developed by SNF to allow good performances in the extreme conditions of the decanters: Hydroxamated polyacrylamides and polyacrylates.

Hydroxamated polyacrylamides:

- Excellent affinity with the iron oxide
- Very good flocculation
- Increases settling rate
- Improves clarification of the overflow
- Decreases Yield Stress
- Improves mud pumpability
- Increases solid content
- Decreases Suspended Solids in the overflow
- Improves filtration
- Reduces lime usage

FLOMIN Flocculants for Washers:


- Large range of anionicity
- Large range of molecular weight
- Available under powder and emulsion form
- Compatibility for each caustic concentration
- Increases the mud compaction
- Improves clarification of the overflow
- Improves soda recovery
- Increases settling rate
- Increases productivity

FLOMIN ALX-S Flocculants for Hydrate Thickeners:


SNF has developed a range of polysaccharide based products to improve settling in tertiary thickeners, FLOMIN ALX-NS, ALX-S and ALX-F, their main advantages are:

- Decreased solids content in the overflow
- Reduced torque related problems
- Increased settling rates





ver Process



Alumina Process Chemicals

FLOSET

The **FLOSET S** range has been developed by SNF as a protective coating of ore stockpiles.

- Very efficient in fixing dust
- Creates a waterproof layer on the treated surface
- Excellent surface coating properties
- Can be used on mud dam to control caustic dust

FLOSET R is a dust controller for roads

- Prevents dust emissions from dirt roads and tracks emitted by vehicles
- Creates a crust on the road
- Allows to save a lot of water

FLOQUAT

SNF's range of liquid coagulants can be used as:

- Humate removal aid, to reduce organics compounds before settlers
- Iron removal aid, to reduce iron content before safety filtration

DRYFLOC

The DRYFLOC products are especially designed polyacrylamides to dewater the tailings from the last washer. The advantages are the following :

- Saving space
- Saving on dikes building
- Saving in rehabilitation
- Saving in water
- Higher safety due to a faster consolidation of the slurry
- No particles segregation
- Avoid huge investments against dewatering equipment

FLOFOAM


FLOFOAM is a complete range of defoamers that can be used anywhere. In order to improve the efficiency, different formulations are available:

- Silicon emulsions
- Dispersions
- Oils
- Organic emulsions

FLODRI

FLODRI is a surfactant specially adapted to improve performance of vacuum filters. The advantages are:

- Increases productivity of vacuum filters
- Reduces electricity consumption
- Reduces costs of maintenance
- Reduces consumption of filter cloths
- Reduces cake moisture by 2-3%
- Increases the dry content of the cake



Alumina Process Chemicals

SNF Technical expertise in Alumina Processing

Customers of SNF have access to our technical staff with expertise in alumina processing and in mining industry to solve their problems. SNF's customer service team is dedicated to fast responses, the highest quality standards, and on-time delivery requirements. For any information concerning any products in Alumina Processing, please contact SNF.



SNF s.a.s.

ZAC de Milieux
42163 Andrézieux Cedex
FRANCE
info@snf.fr
www.snf-group.com
+33 (0)4 77 36 86 00

SNF BALTREAGENT OOO

5A Ulyanovskoye shosse
Nikolskoye, Tosnenskiy rayon
Leningradskaya oblast
187026 RUSSIA
info@snf-group.ru
www.snf-group.ru
+7 (812) 380 97 71

SNF (CHINA) FLOCCULANT Co. Ltd.

Taixing economic development zone
West of Tongjiang road
Taixing City Jiangsu Province
225442
CHINA
commercial@snfchina.com
www.snfchina.com
+86 523 767 6300

SNF (INDIA) Pvt. Ltd. India

C-20, Panchavati Township,
Akkireddypalem, BHPV post,
Visakhapatnam-530 012,
INDIA
info@snf-india.com
pmulukutla@gmail.com
+91 891 253 3580-3581

SNF CANADA

97 Glenview avenue
Toronto, Ontario M4R 1P9
CANADA
mgiuliani@snf-floerger.com
www.snf-canada.com
+1 (416) 486 7853

SNF HOLDING Co.

PO Box 250, 1 Chemical Plant road
Riceboro, Georgia 31323
UNITED-STATES
info@snfhc.com
www.snfinc.com
+1 912 884 3366

SNF DO BRASIL Ltda.

Estrada Bonsucesso
Itaquaquecetuba, 80
V Maria de Lourdes
Guarulhos SP 07251-280
BRASIL
floerger@snfbr.com
www.snfbr.com
+55 11 64 80 21 22

SNF (AUSTRALIA) Pty. Ltd.

298 Broderick road
Lara, Victoria 3212
AUSTRALIA
info@snf.com.au
+61 (0)3 5275 9200





SNF SAS
rue Adrienne Bolland
ZAC de Milieux
42163 Andrézieux Cedex - FRANCE
Tel : + 33 (0)4 77 36 86 00
Fax : + 33 (0)4 77 36 86 96
info@snf.fr
www.snf-group.com

SNF FLOERGER

While SNF makes reasonable efforts to ensure the information is accurate and up-to-date, SNF makes no warranties or representations, express or implied, as to the accuracy, completeness, or any other aspect of the information on this document and assumes no liability in connection with any use of this information. Nothing herein shall be construed as a recommendation or license to use any information found that conflicts with any patent, trademark or copyright of SNF or others, and SNF makes no representations or warranties, express or implied that any use of this information will not infringe any such patent, trademark or copyright.